

EmerAid®

BENEFITS CRITICAL CARE NUTRITION FOR DOGS AND CATS



UNIQUELY FORMULATED

EmerAid provides species-specific nutrition that is easy to prepare for a range of feeding styles.



RAPID ENERGY

- Hydrolyzed formula increases nutrition absorption
- Highly digestible blend of fats, proteins, and simple carbohydrates



IMPROVED HEALING

- Essential amino acids improve immune function and tissue repair
- High protein content helps maintain or increase leady body weight



STOP DIARRHEA

- Balanced blend of fibers and prebiotics improves GI tract function
- Semi-hydrolyzed nutrition minimizes risk of allergic reactions



HIGHLY PALATABLE

- Appealing texture and smell so that animals readily lap it up
- Ensure RER is reached with flexible ways to feed



EASIER TO FEED

- High kcal/ml allows for smaller volumes and shorter feeding times
- Flows smoothly down a 5Fr tube without clogging



Guaranteed Analysis

EmerAid Canine IC HDN

Protein 34.0%
 Fat 18.1%
 Fiber (Max) 3.3%
 Caloric Content (ME) . . 4173 kcal/kg
 2.26 kcal/ml

EmerAid Feline IC HDN

Protein 40.0%
 Fat 28.1%
 Fiber (Max) 2.6%
 Caloric Content (ME) . . 4646 kcal/kg
 2.41 kcal/ml

EmerAid Feline IC HDN Kidney

Protein 30.3%
 Fat 23.2%
 Fiber (Max) 12.9%
 Caloric Content (ME) . . 4145 kcal/kg
 2.23 kcal/ml

EmerAid Canine Sustain HDN

Protein 30.2%
 Fat 24.9%
 Fiber (Max) 3.7%
 Caloric Content (ME) . . 4329 kcal/kg
 2.21 kcal/ml

EmerAid Feline Sustain HDN


Protein 40.1%
 Fat 35.6%
 Fiber (Max) 3.0%
 Caloric Content (ME) . . 5025 kcal/kg
 2.54 kcal/ml

EmerAid®

FLEXIBLE WAYS TO FEED

Lasts
1 month
once
opened

A flexible feeding system, EmerAid can be fed as a complete diet or supplement. EmerAid high energy powder allows for a variety of feeding styles to ensure maximum nutrition is reached with smaller volumes.



EmerAid®

NUTRITION


MAKE EVERY BITE COUNT

EmerAid was formulated by a team of veterinarians and nutritionists to support animals with a range of acute to chronic conditions. AAFCO approved, it can be fed as a complete diet OR as a meal supplement.

EmerAid is energy dense and tasty because, when pets are ill, *every bite counts*.


PRODUCT HIGHLIGHTS

CANINE



FELINE

IC Feline and **IC Kidney** formulas have all the qualities as shown for canines above. The **IC Kidney** has further product highlights ▶





IC vs SUSTAIN WHICH TO CHOOSE



	HDN IC	HDN SUSTAIN
STATE OF PATIENT	<ul style="list-style-type: none"> • Critical with acute presentations • Patients that require hospitalization 	<ul style="list-style-type: none"> • Stable with acute to chronic conditions • Patients that can be treated at home
BENEFITS	<ul style="list-style-type: none"> • Highly digestible formula, allowing for optimal nutrient absorption when time is critical and the GI Tract is severely compromised 	<ul style="list-style-type: none"> • Highly digestible formula with a higher % of whole nutrients • Contains BCAA to rebuild muscle mass and increase mobility • Firms up stools while maintaining a caloric value
INDICATIONS	<p>HDN IC</p> <ul style="list-style-type: none"> • Acute kidney disease* • Infectious disease • Autoimmune disease • Peritonitis • Pancreatitis with normal TG • Exocrine Pancreatic Insufficiency (EPI) • Parvovirus & HGE 	<p>HDN Sustain</p> <ul style="list-style-type: none"> • Extend tube feeding at home • Puppies and kittens with failure to thrive • Palliative care • Geriatric care • Malnutrition or neglect • Unbalanced microbiome • Diarrhea
CONTRAINDICATIONS	<p>Cachexia • Inappetence • Anemia • Pre-Post Operative feed • Pancreatitis in cats Malabsorption/Maldigestion • Hepatic Lipidosis in cats • Megaesophagus • IBD</p>	
AAFCO APPROVED	<p>IC is AAFCO approved for adult maintenance and Sustain is approved for all life stages. Both can be fed as a sole diet or supplement.</p>	
WAYS TO FEED	<p>6 ways to feed— Tasty and often lapped up from the bowl but if tube placement is required, EmerAid easily flows down 5Fr tubes.</p>	

*EmerAid IC Feline can be fed to cats with acute kidney failure for up to 2 weeks. Transition to EmerAid IC Kidney for long term feeding.

Condition severity and need for rapid nutrition absorption will often be the deciding factor